

114學年第2學期用電量額度超出度數表

寢室別	期初度數	3月30日	4月27日	5月25日	期末度數	可吹度數	超出度數	應繳金額	備註
	2月22日				6月15日			1度/4.2元	
CT0101A	26767.4	26857.4	26979.0	27141.6	27319.7	27434	0	0	
CT0101B	20657.8	20685.9	20709.6	20735.9	20755.2	21325	0	0	
CT0101C	724.3	746.7	764.0	781.2	794.1	1391	0	0	
CT0101D	558.8	580	599.2	623.6	639.5	1226	0	0	
CT0101E	11231.7	11253.5	11270.3	11297.2	11317.5	11899	0	0	
CT0102A	10979.4	11041.7	11212.0	11557.3	11842.7	11646	196.3	824	
CT0102B	16622.6	16707.2	16839.9	16998.6	17157.3	17290	0	0	
CT0102C	11580.7	11825.2	12206.9	12641.3	12952.3	12248	704.6	2959	
CT0102D	14599.8	14691.6	14827.9	15005.1	15168.5	15267	0	0	
CT0102E	17683.1	17769.5	17985.9	18275.2	18479.2	18350	129.1	542	
CT0103A	17990.9	檢修	檢修	檢修	檢修	檢修	檢修	檢修	
CT0103B	18332.7	18469.9	18741.0	19152.2	19518.4	19000	518.7	2179	
CT0103C	4345.0	4492.8	4727.3	5073.2	5433.7	5012	421.7	1771	
CT0103D	4249.6	4303.8	4437.2	4620.0	4766.7	4917	0	0	
CT0103E	19681.1	19742.8	19834.6	19987.0	20128.3	20348	0	0	
CT0104A	11405.5	11511.2	11661.8	11859.5	12053.3	12073	0	0	
CT0104B	20104.7	20390.4	20690.7	20987.2	21262.3	20772	490.6	2061	
CT0104C	17097.3	17195.9	17335.2	17497.7	17656.2	17764	0	0	
CT0104D	13372.2	13476.6	13644.9	13906.6	14078.4	14039	39.2	165	
CT0104E	18555.5	18728.1	18984.0	19361.3	19702.7	19223	480.2	2017	
CT0201A	16429.3	16631.1	16854.0	17126.8	17359.3	17096	263	1105	
CT0201B	15843.3	15898.1	16072.9	16292.0	16517.5	16510	7.2	30	
CT0201C	12087.8	12156.2	12293.4	12454.3	12653.0	12755	0	0	
CT0201D	14828.1	檢修	檢修	檢修	檢修	檢修	檢修	檢修	
CT0201E	16519.3	16577	16790.4	17048.7	17354.6	17186	168.3	707	
CT0202A	15139.1	15202.9	15384.3	15622.5	15847.6	15806	41.5	174	
CT0202B	6475.0	6543.1	6631.5	6733.7	6866.9	7142	0	0	
CT0202C	15767.4	15884	16032.4	16192.7	16323.5	16434	0	0	
CT0202D	11003.1	檢修	檢修	檢修	檢修	檢修	檢修	檢修	
CT0202E	14740.0	14850.2	14994.8	15187.9	15345.8	15407	0	0	
CT0203A	16318.6	16595.3	16973.3	17307.2	17578.9	16986	593.3	2492	
CT0203B	16960.2	17128.9	17382.4	17678.3	17971.1	17627	343.9	1444	
CT0203C	14677.2	14824.7	15029.1	15264.0	15400.8	15344	56.6	238	
CT0203D	14693.5	14736.4	14822.7	14902.0	14999.9	15361	0	0	
CT0203E	18575.4	18681.8	18777.8	18916.9	19094.3	19242	0	0	
CT0204A	19563.3	19637.4	19769.4	19944.7	20112.4	20230	0	0	

寢室別	期初度數	3月30日	4月27日	5月25日	期末度數	可吹度數	超出度數	應繳金額	備註
	2月22日				6月15日			1度/4.2元	
CT0204B	19457.6	19583	19704.4	19882.4	20078.6	20125	0	0	
CT0204C	18327.8	18422.4	18532.2	18705.1	18833.4	18995	0	0	
CT0204D	15505.1	15580.8	15738.1	15929.9	16123.9	16172	0	0	
CT0204E	14046.0	14126.2	14292.8	14563.1	14815.3	14713	102.3	430	
CT0301A	15408.4	15470.5	15586.5	15765.4	15921.4	16075	0	0	
CT0301B	14114.1	14209.4	14391.6	14632.3	14829.6	14781	48.5	204	
CT0301C	13564.9	13649	13803.3	13986.7	14189.2	14232	0	0	
CT0301D	19039.5	檢修	檢修	檢修	檢修	檢修	檢修	檢修	
CT0301E	13464.6	13522.3	13595.2	13683.0	13842.4	14132	0	0	
CT0302A	15023.6	15095.5	15203.5	15364.6	15517.8	15691	0	0	
CT0302B	16463.6	16714.3	17055.3	17383.4	17711.3	17131	580.7	2439	
CT0302C	15737.0	檢修	檢修	檢修	檢修	檢修	檢修	檢修	
CT0302D	15563.7	15704.5	15904.0	16151.5	16428.8	16231	198.1	832	
CT0302E	16415.7	16580.9	16849.5	17169.1	17467.8	17083	385.1	1617	
CT0303A	16048.1	檢修	檢修	檢修	檢修	檢修	檢修	檢修	
CT0303B	11294.7	檢修	檢修	檢修	檢修	檢修	檢修	檢修	
CT0303C	16271.7	16342.6	16508.9	16712.0	16882.9	16939	0	0	
CT0303D	13086.9	13118.5	13143.0	13168.6	13188.6	13754	0	0	
CT0303E	17232.3	17268.7	17328.1	17430.2	17543.7	17899	0	0	
CT0304A	3858.2	3912.5	3954.5	4011.1	4078.1	4525	0	0	
CT0304B	16344.8	16383.4	16467.2	16570.2	16648.9	17012	0	0	
CT0304C	14030.5	14186.8	14367.9	14573.8	14749.6	14698	52.1	219	
CT0304D	14127.2	14183.9	14278.7	14389.4	14493.2	14794	0	0	
CT0304E	16891.3	17105.2	17325.5	17589.8	17804.6	17558	246.3	1034	
CT0401A	11606.5	11849.2	12099.0	12325.8	12573.1	12274	299.6	1258	
CT0401B	13722.6	13831.3	13915.5	14009.9	14112.5	14390	0	0	
CT0401C	12803.9	檢修	檢修	檢修	檢修	檢修	檢修	檢修	
CT0401D	12586.9	12639.6	12745.0	12903.9	13069.0	13254	0	0	
CT0401E	10569.3	10673.5	10958.3	11376.9	11870.8	11236	634.5	2665	
CT0402A	12833.0	12958.1	13159.4	13382.3	13590.9	13500	90.9	382	
CT0402B	13669.8	13822.3	14028.2	14363.2	14655.4	14337	318.6	1338	
CT0402C	13299.6	13436.2	13662.3	13952.5	14188.9	13967	222.3	934	
CT0402D	13104.8	13166.7	13269.1	13463.0	13652.7	13772	0	0	
CT0402E	20861.2	20912	21001.6	21175.7	21347.3	21528	0	0	
CT0403A	13360.3	13399.4	13468.8	13565.1	13636.9	14027	0	0	
CT0403B	13925.8	13982.5	14044.1	14187.7	14315.2	14593	0	0	
CT0403C	19059.0	19158.3	19297.5	19472.4	19578.7	19726	0	0	
CT0403D	16379.7	16589	16825.4	17091.4	17341.8	17047	295.1	1239	

寢室別	期初度數	3月30日	4月27日	5月25日	期末度數	可吹度數	超出度數	應繳金額	備註
	2月22日				6月15日			1度/4.2元	
CT0403E	18404.2	18532.1	18764.9	19048.6	19281.7	19071	210.5	884	
CT0404A	13581.5	13642.5	13735.2	13831.1	13920.5	14249	0	0	
CT0404B	12900.5	13065.1	13245.6	13430.0	13598.2	13568	30.7	129	
CT0404C	17813.1	17900.8	18014.3	18178.0	18300.2	18480	0	0	
CT0404D	15699.8	16018.5	16324.0	16659.2	16957.2	16367	590.4	2480	
CT0404E	15782.0	15839.2	16296.1	檢修	檢修	檢修	檢修	檢修	
CT0501A	19142.1	19252.4	19458.7	19497.1	19510.7	19809	0	0	
CT0501B	16179.0	16444.8	16753.0	17072.8	17338.6	16846	492.6	2069	
CT0501C	17631.5	17741	17897.4	18104.0	18316.2	18299	17.7	74	
CT0501D	14668.3	14775.5	15050.4	15373.1	15716.2	15335	380.9	1600	
CT0501E	15458.7	15490.4	15533.9	15595.8	15662.6	16126	0	0	
CT0502A	16281.5	檢修	檢修	檢修	檢修	檢修	檢修	檢修	
CT0502B	18238.8	18270.5	18353.2	18511.7	18658.3	18906	0	0	
CT0502C	16330.7	16370.1	16439.4	16542.9	16670.5	16998	0	0	
CT0502D	12734.9	12776.7	12816.4	12861.9	12913.2	13402	0	0	
CT0502E	11467.3	11606.8	11873.4	12247.8	12578.8	12134	444.5	1867	
CT0503A	16789.8	16842.7	16982.9	17164.5	17312.3	17457	0	0	
CT0503B	15552.5	15806.1	16048.2	16303.3	16552.0	16220	332.5	1397	
CT0503C	17372.9	17441	17565.9	17727.6	17881.9	18040	0	0	
CT0503D	15450.2	15583	15733.5	15912.7	16062.7	16117	0	0	
CT0503E	16782.3	16918.4	17191.1	17513.5	17818.8	17449	369.5	1552	
CT0504A	18698.7	18737.3	18776.0	18838.9	18927.6	19366	0	0	
CT0504B	13737.3	13784.2	13891.2	14063.1	14245.3	14404	0	0	
CT0504C	15302.8	15436.3	15645.5	15895.3	16141.4	15970	171.6	721	
CT0504D	16340.4	16392.2	16605.8	16893.0	17131.2	17007	123.8	520	
CT0504E	18528.9	18572.1	18769.1	19074.2	19334.9	19196	139	584	
CT0601A	12926.4	13234	13634.5	14060.3	14419.7	13593	826.3	3470	
CT0601B	14494.9	14638.3	14868.5	15191.3	15501.5	15162	339.6	1426	
CT0601C	14827.3	14897.1	14995.8	15135.1	15254.0	15494	0	0	
CT0601D	13046.4	13228.4	13664.7	14122.3	14680.6	13713	967.2	4062	
CT0601E	10843.4	11091	11438.5	11920.4	12372.8	11510	862.4	3622	
CT0602A	16897.7	17116.9	17381.4	17662.6	17934.6	17565	369.9	1554	
CT0602B	12839.9	13062.6	13234.7	13308.0	13380.3	13507	0	0	
CT0602C	15387.4	15677.7	16110.2	16540.4	16910.6	16054	856.2	3596	
CT0602D	14357.4	14530.9	14810.7	15236.6	15605.4	15024	581	2440	
CT0602E	15271.9	15593.9	15965.5	16400.0	16817.6	15939	878.7	3691	
CT0603A	12841.9	13002.4	13264.1	13640.0	14009.3	13509	500.4	2102	
CT0603B	13988.1	14074.1	14183.1	14363.7	14516.1	14655	0	0	

寢室別	期初度數	3月30日	4月27日	5月25日	期末度數	可吹度數	超出度數	應繳金額	備註
	2月22日				6月15日			1度/4.2元	
CT0603C	14596.1	14811.8	15075.4	15449.3	15779.5	15263	516.4	2169	
CT0603D	13094.7	13136.3	13210.1	13269.0	13343.1	13762	0	0	
CT0603E	14562.3	14748.6	14994.7	15320.0	15594.6	15229	365.3	1534	
CT0604A	13336.5	檢修	檢修	檢修	檢修	檢修	檢修	檢修	
CT0604B	13353.5	13397.1	13448.4	13518.8	13567.2	14021	0	0	
CT0604C	17769.5	18002.1	18305.7	18697.0	19044.0	18437	607.5	2552	
CT0604D	17212.3	17704.4	18138.8	18585.5	18933.0	17879	1053.7	4426	
CT0604E	17943.6	18186	18459.0	18802.4	19081.5	18611	470.9	1978	
CT0701A	15167.6	15221	15295.9	15394.5	15492.1	15835	0	0	
CT0701B	9921.9	10120.7	10379.2	10694.1	10977.3	10589	388.4	1631	
CT0701C	12681.7	12738.1	12835.2	12949.9	13088.3	13349	0	0	
CT0701D	11568.0	12084.7	12301.8	12567.6	12764.9	12235	529.9	2226	
CT0701E	10407.4	10523	10745.4	10937.4	11130.8	11074	56.4	237	
CT0702A	16959.8	17218.5	17537.1	18083.2	18557.6	17627	930.8	3909	
CT0702B	12475.1	12588.4	12701.0	12819.9	12921.6	13142	0	0	
CT0702C	13651.9	13817.4	14037.4	14307.8	14567.9	14319	249	1046	
CT0702D	15822.7	15875.1	15944.4	16015.3	16101.7	16490	0	0	
CT0702E	12096.6	12140.7	12257.4	12355.5	12487.0	12764	0	0	
CT0703A	12616.6	12688.5	12834.5	12953.6	13045.4	13284	0	0	
CT0703B	12477.6	12499.5	12517.3	12534.8	12547.8	13145	0	0	
CT0703C	16204.2	16228	16245.8	16263.6	16278.0	16871	0	0	
CT0703D	15440.8	15730.7	16011.6	16389.1	16659.9	16108	552.1	2319	
CT0703E	14683.9	14705.5	14722.2	14738.9	14751.4	15351	0	0	
CT0704A	15430.2	15624.6	15847.3	16166.2	16471.4	16097	374.2	1572	
CT0704B	10283.9	10417.5	10590.6	10818.5	11083.6	10951	132.7	557	
CT0704C	13525.2	13626.9	13744.0	13905.8	14137.4	14192	0	0	
CT0704D	16568.6	16761.5	17040.3	17422.2	17811.8	17236	576.2	2420	
CT0704E	14603.1	14624.9	14641.7	14658.4	14671.0	15270	0	0	
CT0801A	9421.3	9612.9	9899.7	10245.3	10512.4	10088	424.1	1781	
CT0801B	9461.4	9533.9	9657.7	9830.7	10025.1	10128	0	0	
CT0801C	12575.3	12694.2	12844.4	13030.6	13212.6	13242	0	0	
CT0801D	7999.9	8036.2	8089.7	8161.8	8238.5	8667	0	0	
CT0801E	13695.4	13724.7	13880.5	14078.4	14361.8	14362	0	0	
CT0802A	12799.0	12921.5	13240.0	13633.3	13962.4	13466	496.4	2085	
CT0802B	12199.1	12230.2	12255.0	12276.3	12292.0	12866	0	0	
CT0802C	10609.2	10657.8	10785.3	11031.4	11281.3	11276	5.1	21	
CT0802D	11108.9	11167	11247.9	11347.5	11431.4	11776	0	0	
CT0802E	11741.1	11945.3	12022.9	12267.3	12478.5	12408	70.4	296	

寢室別	期初度数	3月30日	4月27日	5月25日	期末度数	可吹度数	超出度数	應繳金額	備註
	2月22日				6月15日			1度/4.2元	
CT0803A	9031.9	9183.1	9357.3	9526.6	9712.7	9699	13.8	58	
CT0803B	11447.0	11509.6	11579.0	11675.5	11768.6	12114	0	0	
CT0803C	8210.9	8318.2	8464.7	8631.9	8785.2	8878	0	0	
CT0803D	13588.2	13705.6	13862.2	13989.4	14151.8	14255	0	0	
CT0803E	12785.6	12867.8	13003.9	13166.3	13351.8	13453	0	0	
CT0804A	13350.2	13420.3	13598.4	13793.2	14005.5	14017	0	0	
CT0804B	13938.8	14231.9	14475.4	14783.6	14993.0	14606	387.2	1626	
CT0804C	11217.3	11262.8	11307.2	11369.7	11431.8	11884	0	0	
CT0804D	13331.7	13467.1	13572.6	13701.0	13804.4	13999	0	0	
CT0804E	12245.4	12425	12806.9	13308.6	13725.1	12912	812.7	3413	
CT0901A	9121.4	9271.2	9511.8	9798.7	10018.9	9788	230.5	968	
CT0901B	7030.1	7096.2	7289.9	7577.5	7900.7	7697	203.6	855	
CT0901C	8749.1	8797	8891.6	8995.4	9092.9	9416	0	0	
CT0901D	8910.2	9040.6	9227.8	9475.5	9655.8	9577	78.6	330	
CT0901E	10891.2	10931.8	11107.7	11337.7	11568.4	11558	10.2	43	
CT0902A	13330.5	13609.7	13981.5	14457.3	14771.9	13998	774.4	3252	
CT0902B	12280.7	12302	12318.4	12334.8	12347.4	12948	0	0	
CT0902C	8561.5	8632.9	8719.5	8824.9	8918.1	9229	0	0	
CT0902D	9721.6	9877.6	10124.0	10464.2	10749.4	10389	360.8	1515	
CT0902E	12776.5	12843.8	12992.8	13166.3	13344.0	13444	0	0	
CT0903A	10343.1	10435.9	10581.7	10954.4	11293.5	11010	283.4	1190	
CT0903B	10778.1	10821.7	10889.1	10996.0	11100.6	11445	0	0	
CT0903C	10624.6	10658	10688.8	10732.1	10811.6	11292	0	0	
CT0903D	14436.2	14619.1	14876.5	15221.5	15578.5	15103	475.3	1996	
CT0903E	16515.7	16543.4	16565.0	16586.5	16600.5	17183	0	0	
CT0904A	9211.0	9382.9	9697.8	10098.3	10473.3	9878	595.3	2500	
CT0904B	10378.2	10408.4	10454.7	10506.7	10558.2	11045	0	0	
CT0904C	11266.0	11359.5	11515.9	11672.6	11837.6	11933	0	0	
CT0904D	8631.4	8675.4	8700.9	8741.4	8794.8	9298	0	0	
CT0904E	11821.4	12002.2	12289.1	12568.1	12801.2	12488	312.8	1314	
CT1001A	13871.6	13963.3	14109.1	14303.2	14499.1	14639	0	0	
CT1001B	13657.6	13804.2	14098.5	14468.3	14774.5	14425	349.9	1470	
CT1001C	12068.9	12131	12274.2	12508.9	12734.9	12836	0	0	
CT1001D	10586.1	10780.1	11081.9	11289.0	11455.2	11353	102.1	429	
CT1001E	11471.5	11555.3	11722.5	12003.7	12210.0	12239	0	0	
CT1002A	12262.3	檢修	檢修	檢修	檢修	檢修	檢修	檢修	
CT1002B	14094.9	14355	14651.3	15040.2	15325.6	14862	463.7	1948	
CT1002C	11329.5	11446.1	11663.2	11914.2	12232.4	12097	135.9	571	

寢室別	期初度數	3月30日	4月27日	5月25日	期末度數	可吹度數	超出度數	應繳金額	備註
	2月22日				6月15日			1度/4.2元	
CT1002D	9026.6	9047.3	9063.2	9079.1	9091.0	9794	0	0	
CT1002E	13214.9	13359.9	13722.0	14161.4	14533.1	13982	551.2	2315	
CT1003A	12256.8	12433.6	12690.6	13032.4	13295.4	13024	271.6	1141	
CT1003B	10368.7	10414.7	10587.4	10782.2	10830.1	11136	0	0	
CT1003C	14107.1	14149.4	14355.8	14672.5	14946.8	14874	72.7	305	
CT1003D	12038.4	12169.5	12456.4	12769.5	13007.2	12805	201.8	848	
CT1003E	11367.2	11410.5	11463.8	11568.3	11682.2	12134	0	0	
CT1004A	9018.5	9063.7	9200.5	9435.0	9660.2	9786	0	0	
CT1004B	10951.4	11100.7	11216.4	11238.1	11265.0	11718	0	0	
CT1004C	9866.8	9888.6	9915.2	9936.8	9961.1	10634	0	0	
CT1004D	8672.9	8722.5	8796.1	8887.1	8971.2	9440	0	0	
CT1004E	8555.1	8577.1	8594.2	8611.1	8624.0	9322	0	0	

